

What is claimed is:

1. An unauthorized access prevention system, including:
 - a search unit searching the flowing-in path of
5 unauthorized access to services disclosed from a user's
communication network;
 - a determination unit determining a place to
implement a countermeasure for protecting the services
from the unauthorized access based on the result of the
10 search; and
 - a notification unit notifying, according to a
determination that the countermeasure is implemented
in the flow source that makes the unauthorized access
flow into the user's communication network, the
15 determination to a flow source.
2. A recording medium in which a program that directs
a computer to implement a countermeasure against
unauthorized access is recorded and in which the program
20 can be read by the computer, and the program directs
the computer to perform the following processes by being
executed by the computer:
 - a search process of searching the flowing-in path
of the unauthorized access to the services disclosed
25 from the user's communication network;

a determination process of determining the place to implement the countermeasure for protecting the services from the unauthorized access based on the result of the search; and

5 a notification process of notifying, according to a determination that the countermeasure is implemented in the flow source that makes the unauthorized access flow into the user's communication network, the determination to the flow source.

10

3. The recording medium according to claim 2, wherein the search process is performed by a computer when the unauthorized access is detected.

15

4. The recording medium according to claim 2, wherein the search process is performed by the computer when the detection of the unauthorized access is notified.

20

5. The recording medium according to claim 2, wherein the process of searching the flowing-in path is performed by the computer based on the monitoring information on the traffic transmitted by a user's communication network and the unauthorized access information indicating the contents of the unauthorized

25

access.

6. The recording medium according to claim 5, wherein
the monitoring information includes at least the
5 position information on an edge router arranged on the
border between the user's communication network and the
communication network adjacent to the user's
communication network and the monitoring information
on the traffic that flows into the user's communication
10 network via the edge router.

7. The recording medium according to claim 2, wherein
the process of notifying the determination to the
flow source after mutual attestation is conducted between
15 the notification unit and the flow source of the
unauthorized access is performed by the computer.

8. The recording medium according to claim 2, wherein
the process of notifying the determination to the
20 flow source after information on a security policy for
the operation of each network is exchanged with the flow
source that transmits the unauthorized access is
performed by the computer.

25 9. The recording medium according to claim 8, wherein

information on a security policy is the information indicating the time required till the countermeasure against the unauthorized access is cancelled after the unauthorized access is not detected any more.

5

10. The recording medium according to claim 9, wherein when the time indicated by the information on the security policy differs between the user' communication network and the flow source, a shorter time of the two is used as the time required till the countermeasure against unauthorized access is cancelled after the unauthorized access is not detected any more.

10

11. The recording medium according to claim 10, wherein the process of notifying the flow source of the determination and the information indicating the time required till the countermeasure against the unauthorized access is cancelled after the unauthorized access is not detected any more is performed by the computer.

15

20

12. The recording medium according to claim 2, wherein the process of notifying the flow source of the unauthorized access of the determination using the communication path that differs from the flowing-in path

25

of the unauthorized access is performed by the computer.

13. The recording medium according to claim 2, wherein
the notification process directs the computer to
5 perform the process of judging whether, when it is
determined that the countermeasure is implemented in
the flow source that makes the unauthorized access flow
into the user's communication network, the determination
is notified to the flow source;
10 by having the program executed by the computer;
the unauthorized access countermeasure
implementation control process that has the
countermeasure for protecting the services from the
unauthorized access implemented in the flow source when
15 it is judged that the determination will not be notified
to the flow source based on the above notification process
is further performed by the computer.

14. The recording medium according to claim 13, wherein
20 the judgement is made based on the judgement
information on the flow source that is given in advance.

15. The recording medium according to claim 2, wherein
by having the program executed by the computer;
25 the unauthorized access countermeasure

implementation control process that has the countermeasure for protecting the services from the unauthorized access implemented in the user's communication network based on the determination that
5 said countermeasure is implemented in the user's communication network is performed by the computer.

16. The recording medium according to claim 15, wherein
the process of implementing the countermeasure in
10 the POP (point of presence) edge router to which the flow source of the unauthorized access is connected is performed by the computer.

17. The recording medium according to claim 16, wherein
15 the process of identifying the POP edge router to which the transmitter that transmits the unauthorized access is connected based on the information obtained from the operation management system that manages the operation of the user's communication network is further
20 performed by the computer.

18. The recording medium according to claim 15, wherein
by having the program executed by the computer;
the process of obtaining a notification of the
25 determination that unauthorized access to the services

disclosed from a communication network different from the user's communication network is made to flow into said other communication network is further performed by the computer; and

5 the process of implementing the countermeasure for protecting the services disclosed from said other communication network from the unauthorized access related to the notification in the user's communication network when the notification is obtained by the
10 notification obtaining process is performed by the computer.

19. The recording medium according to claim 15, wherein
15 the countermeasure implemented by the unauthorized access countermeasure implementation control process is cancelled after the unauthorized access is not detected any more and a preset time passes.

20. The recording medium according to claim 19, wherein
20 The preset time is set based on the security policy on the network operation of both the user's communication network and the other communication network.

21. The recording medium according to claim 20, wherein
25 when the times set between the user's communication

network and the other communication network based on the security policy on the network operation of both networks differ between both networks, the countermeasure is cancelled after the unauthorized
5 access is not detected any more and a shorter time of the two passes.

22. The recording medium according to claim 2, wherein
by having the program executed by the computer;
10 the process of obtaining a notification of the determination that unauthorized access to the services disclosed from a communication network different from the user's communication network is made to flow into said other communication network is performed by the
15 computer;

the process of searching the flowing-in path of the unauthorized access related to the notification in the user's communication network when the notification is obtained by the notification obtaining process is
20 performed by the computer;

the process of determining the place to implement the countermeasure for protecting the services disclosed from said other communication network from the unauthorized access related to the notification based
25 on the result of the search when the notification is

obtained by the notification obtaining process is performed by the computer; and

5 the process of notifying, according to a determination that the countermeasure is implemented in the flow source that makes the unauthorized access related to the notification flow into the user's communication network when the notification is obtained by the notification obtaining process, the determination to the flow source is performed by the computer.

10

23. The recording medium according to claim 22, wherein
by having the program executed by the computer;
the unauthorized access countermeasure
implementation control process that has the
15 countermeasure for protecting the services disclosed from the user's communication network or the other communication network from the unauthorized access related to the notification implemented in the communication network of the notification source of the
20 notification when the notification obtained by said notification obtaining process is the same as that obtained in the past is further performed by the computer.

24. The recording medium according to claim 23, wherein
25 the process of notifying the information that

uniquely identifies the unauthorized access related to the notification when the determination is notified is performed by the computer.

- 5 25. The recording medium according to claim 2, wherein
 by having the program executed by the computer;
 the process of recording the history of the
notification is further performed by the computer.

- 10 26. An unauthorized access prevention method,
 including:

 searching the flowing-in path of unauthorized
access to the services disclosed from the user's
communication network;

- 15 determining the place to implement the
countermeasure for protecting the services from the
unauthorized access based on the result of the search;
and

- notifying, according to a determination that the
20 countermeasure is implemented in the flow source that
makes the unauthorized access flow into the user's
communication network, the determination to the flow
source.

- 25 27. A computer data signal embodied by a carrier wave

and representing a program that directs a computer to implement a countermeasure against unauthorized access, which, by having the program executed by the computer, directs the computer to perform the processes of;

5 searching the flowing-in path of the unauthorized access to the services disclosed from the user's communication network;

 determining the place to implement the countermeasure for protecting the services disclosed
10 from the user's communication network from the unauthorized access based on the result of the search;
 and

 notifying, according to a determination that the countermeasure is implemented in the flow source that
15 makes the unauthorized access flow into the user's communication network, the determination to the flow source.